Orzeyful™
oveporexton tablets IV

WELCOME TO ORZEYFUL™ (OVEPOREXTON)

Click below for helpful information and support as you get started on your treatment.

What's in Your Welcome Kit?

ORZEYFUL Getting Started Guide

Information to help you begin your new treatment

ORZEYFUL Patient Ambassador Information

Sharing your story may help someone like you

Takeda Patient Support Overview

We've got your back with support every step of your journey

For people starting ORZEYFUL, visit takeda.info/TPSCONSENT to enroll in the Takeda Patient Support Program. See the Takeda Patient Support Overview for more information.

©2026 Takeda Pharmaceuticals U.S.A., Inc. 1-877-TAKEDA-7 (1-877-825-3327). All rights reserved.
ORZEYFUL and The ORZEYFUL Logo are trademarks of Takeda Pharmaceuticals International AG.
Takeda, , and are trademarks or registered trademarks of Takeda Pharmaceutical Company Limited.
US-OVE-0443v1.0 11/26

Orzeyful™
oveporexton tablets (IV)



Actor portrayal.

GETTING STARTED

on your new treatment for narcolepsy type 1 (narcolepsy with cataplexy)

Use this guide to help you get started taking ORZEYFUL™.

What is ORZEYFUL?

ORZEYFUL™ is a prescription medicine used in adults to treat narcolepsy type 1 (narcolepsy with cataplexy).

It is not known if ORZEYFUL is safe and effective in children under 18 years of age.

IMPORTANT SAFETY INFORMATION

Do not take ORZEYFUL if you take certain medicines that are strong inhibitors of an enzyme called CYP3A, since they may increase your risk of side effects. Ask your healthcare provider if you are not sure.

Please see additional Important Safety Information throughout and click for full Prescribing Information and talk with your healthcare provider.

ORZEYFUL was studied in 2 different 12-week clinical studies that included a total of 273 people with narcolepsy type 1 (NT1).

In both studies, ORZEYFUL was taken twice daily and compared with placebo (sugar pill). The main goal of these studies was to evaluate wakefulness, along with the other main symptoms of NT1.

Study 1:
168 people took ORZEYFUL (1 mg or 2 mg) or placebo for 12 weeks

Study 2:
105 people took ORZEYFUL (2 mg) or placebo for 12 weeks

People taking ORZEYFUL saw improvement across the full range of narcolepsy type 1 symptoms

- **Wakefulness**
- **Cataplexy**
- **Daytime sleepiness**
- **Overall symptom severity and change**

Explore the clinical study results at **orzeyful.com**

IMPORTANT SAFETY INFORMATION (cont'd)

What are the possible side effects of ORZEYFUL?

- **ORZEYFUL may cause serious side effects, including:**
  - **Trouble sleeping (insomnia).** Tell your healthcare provider if you develop insomnia, especially if it does not go away after 7 days, while taking ORZEYFUL. They may decrease your dose or tell you to stop taking ORZEYFUL.

Please see additional Important Safety Information throughout and click for full Prescribing Information and talk with your healthcare provider.

Orzeyful™
oveporexton tablets CIV

What are the most common side effects of ORZEYFUL?

- Trouble sleeping (insomnia)
- Urinary urgency
- Increased urinary frequency
- Increased saliva

These are not all of the possible side effects of ORZEYFUL. For more information, ask your healthcare provider or pharmacist.

Trouble sleeping

In the 12-week clinical studies, 58% of people taking ORZEYFUL experienced trouble sleeping (insomnia). Approximately 94% of insomnia events started within the first 7 days of taking ORZEYFUL. Approximately 63% of insomnia events resolved within 1 week after insomnia first started and approximately 17% of insomnia events were ongoing at the end of 12 weeks.

Urinary side effects

In the 12-week clinical studies, 63% of people taking ORZEYFUL experienced urinary side effects.

Two people treated with ORZEYFUL stopped treatment due to urinary side effects.

IMPORTANT SAFETY INFORMATION (cont'd)

What are the possible side effects of ORZEYFUL? (cont'd)

- **ORZEYFUL may cause serious side effects, including: (cont'd)**
  - **Urinary frequency and urgency.** Tell your healthcare provider if you urinate more often or have sudden urges to urinate. If you have a history of overactive bladder, your healthcare provider may monitor you for worsening urinary symptoms.
  - **Increased level of an enzyme in your blood called creatine phosphokinase (CPK).** Increased CPK may be a sign of muscle damage. Tell your healthcare provider right away if you have unexplained muscle pain, weakness, or dark urine, especially after vigorous physical activity, or if you take other medicines that may cause muscle problems.

Please see additional Important Safety Information throughout and click for full Prescribing Information and talk with your healthcare provider.

Orzeyful™
oveporexton tablets CIV

Only ORZEYFUL targets the underlying loss of orexin in NT1 by activating orexin receptors in the brain to restore orexin signaling.

How ORZEYFUL works in NT1

Orexin receptor 2 (activated) · Orexin · Orexin receptor 2 (inactive) · ORZEYFUL

For illustrative purposes only.



Orexin attaches to important receptors in the brain that send signals to the rest of your body.

People with NT1 have a loss, or low levels, of orexin in the brain.

ORZEYFUL targets the underlying loss of orexin in NT1 by attaching to and activating orexin receptor 2 in the brain to restore orexin signaling.

IMPORTANT SAFETY INFORMATION (cont'd)

What are the possible side effects of ORZEYFUL? (cont'd)

- **Most common side effects of ORZEYFUL include** trouble sleeping (insomnia), increased urinary frequency, urinary urgency, and increased saliva.

  These are not all the possible side effects of ORZEYFUL. Call your healthcare provider for medical advice about side effects.

Please see additional Important Safety Information throughout and click for full Prescribing Information and talk with your healthcare provider.

Orzeyful™
oveporexton tablets CIV

Taking ORZEYFUL: What you should know

How do I take ORZEYFUL?

- Be sure to take ORZEYFUL exactly how your healthcare provider tells you to take it
- Take ORZEYFUL at approximately the same time each day
- ORZEYFUL tablets should be swallowed whole with water. Do not split, crush, or chew tablets
- ORZEYFUL can be taken with or without food
- Do not drink grapefruit juice during ORZEYFUL treatment

One tablet
Twice daily

WITH OR WITHOUT FOOD

FIRST TABLET: after waking up

SECOND TABLET: 3 to 5 hours later

How does ORZEYFUL fit into your day?

- ORZEYFUL comes in 1 mg or 2 mg tablets that should be taken twice a day
- The first dose should be taken when you wake up, and the second dose, 3 to 5 hours later
- You should not take more than 4 mg within 24 hours

ⓘ If you take certain medicines, your healthcare provider may prescribe ORZEYFUL at a lower dose of 0.5 mg

If you accidentally miss a dose:

- Skip the missed dose and take the next dose at the next regular time
- Do not take 2 doses at the same time

If you take too much ORZEYFUL:

- Call your healthcare provider or go to the nearest hospital emergency room right away

IMPORTANT SAFETY INFORMATION (cont'd)

Before taking ORZEYFUL, tell your healthcare provider about all your medical conditions, including if you:

- have a history of overactive bladder
- have a history of drug or alcohol abuse or addiction
- have severe liver or kidney problems

Please see additional Important Safety Information throughout and click for full Prescribing Information and talk with your healthcare provider.

Orzeyful™
oveporexton tablets CIV

Track your progress with ORZEYFUL

A new treatment routine can take some getting used to. It's helpful to capture your thoughts and experiences, and share them with your healthcare provider.

1. **What were your NT1 symptoms before taking ORZEYFUL?**

___ Trouble staying awake during the day

___ Cataplexy

___ Other _____

_____

2. **When did you start taking ORZEYFUL?**

_____

3. **Use the space below to write down the initial dose prescribed by your healthcare provider and any additional changes you and your healthcare provider made.**

Date _____ Dose _____ Date _____ Dose _____

IMPORTANT SAFETY INFORMATION (cont'd)

Before taking ORZEYFUL, tell your healthcare provider about all your medical conditions, including if you: (cont'd)

- are pregnant or plan to become pregnant. It is not known if ORZEYFUL will harm your unborn baby.
  - There is a pregnancy registry for women who are exposed to ORZEYFUL during pregnancy. The registry collects information about the health of you and your baby. To enroll or get information from the registry, call 1-877-371-0309.
- are breastfeeding or plan to breastfeed. Talk to your healthcare provider about the best way to feed your baby if you take ORZEYFUL.

Please see additional Important Safety Information throughout and click for full Prescribing Information and talk with your healthcare provider.

Orzeyful™
oveporexton tablets CIV

Notes to discuss with your healthcare provider

Talk with your healthcare provider about what you're experiencing so you can find a rhythm that works for you.

1. **Are you noticing improvements in your NT1 symptoms since taking ORZEYFUL?**
   (Check all that apply)

   ___ Decreased daytime sleepiness
   ___ Reduced cataplexy
   ___ Decreased overall NT1 symptom severity (excessive daytime sleepiness, cataplexy, sleep paralysis, hallucinations, and disrupted nighttime sleep)

2. **What is the biggest change you've noticed since taking ORZEYFUL?**
   (Please describe)

   _____

   _____

3. **Keep track of your daytime sleepiness score every 3 months by using the Epworth Sleepiness Scale (ESS) available by clicking here.**
   (Please write scores below)

   Date _____ Score _____ Date _____ Score _____

4. **Write down any questions you have about taking ORZEYFUL.**
   (Please describe)

   _____

   _____

   _____

   _____

IMPORTANT SAFETY INFORMATION (cont'd)

Tell your healthcare provider about all the medicines you take, including prescription medicines and over-the-counter medicines, vitamins, and herbal supplements. Some medicines may affect how ORZEYFUL works or increase your risk of side effects. Do not start, stop, or change any other medicine while taking ORZEYFUL without talking to your healthcare provider.

Please see additional Important Safety Information throughout and click for full Prescribing Information and talk with your healthcare provider.

Orzeyful™
oveporexton tablets CIV

Orzeyful™
oveporexton tablets CIV



Actor portrayal.

We're here to support you
with information during your ORZEYFUL treatment journey

Visit **MyORZEYFUL.com** for more information and to enroll in Takeda Patient Support.

IMPORTANT SAFETY INFORMATION (cont'd)

ORZEYFUL is a federally controlled substance (CIV) because it can be abused or lead to dependence. Tell your healthcare provider if you have ever abused or been dependent on alcohol, prescription medicines, or street drugs. Keep your ORZEYFUL in a safe place and never give it to anyone else.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch or call 1-800-FDA-1088.

Please see additional Important Safety Information throughout and click for full Prescribing Information and talk with your healthcare provider.

Takeda

©2026 Takeda Pharmaceuticals U.S.A., Inc. 1-877-TAKEDA-7 (1-877-825-3327). All rights reserved. ORZEYFUL and The ORZEYFUL Logo are trademarks of Takeda Pharmaceuticals International AG. Takeda and Takeda are registered trademarks of Takeda Pharmaceutical Company Limited. US-OVE-0323v1.0 11/26

Orzeyful™
oveporexton tablets (IV)

Your ORZEYFUL™ story could be exactly what someone needs to hear

Sharing your ORZEYFUL journey could help someone in the community.



Actor portrayal.

If you are taking ORZEYFUL and feel comfortable sharing your experience, we would love to hear from you.*

*Eligibility criteria apply for participation.

CONTACT US TO LEARN MORE

844-630-1734

TakedaAmbassadors@vprpop.com

Visit MyOrzeyfulStory.com

Takeda

©2026 Takeda Pharmaceuticals U.S.A., Inc. 1-877-TAKEDA-7 (1-877-825-3327). All rights reserved. ORZEYFUL and Orzeyful are trademarks of Takeda Pharmaceuticals International AG. Takeda and Takeda are registered trademarks of Takeda Pharmaceutical Company Limited. US-OVE-0325v1.0 11/26



Your guide to Takeda Patient Support

For ORZEYFUL™

Whether you're navigating health insurance, looking for information about access and financial assistance options, or seeking knowledge about your condition and treatment, we've got you.

Takeda Patient Support
Your Source for Education and Access

Orzeyful™
oveporexton tablets Ⓥ

Support built around you

At Takeda, we believe that accessing your prescribed treatment, ORZEYFUL (oveporexton), and getting the help you specifically need should be as easy as possible. Once you've been prescribed ORZEYFUL, you can enroll in Takeda Patient Support, which is a program that offers services throughout your treatment experience. We've arranged for Accredo Specialty Pharmacy, part of Evernorth Health Services, to provide these services.

How Takeda Patient Support can help you

Support specialists are here to address your questions and concerns—and help get you the answers, resources, and information you need. Some of the ways we can assist include:

- **Offering insurance support** by reviewing your coverage and helping you understand what access and financial assistance options may be available, including the ORZEYFUL Quick Start Program*—See last page for more information
- **Coordinating delivery** of ORZEYFUL right to your door
- **Enrolling you** in the Takeda Patient Support Co-Pay Assistance Program, which may cover up to 100% of your out-of-pocket costs, if you're eligible†
- **Providing you** with timely information throughout your treatment journey

To be eligible, you must be enrolled in Takeda Patient Support and have commercial insurance. Other terms, conditions and eligibility criteria apply. Offer subject to change or end without notice. Contact us for more details.

†To be eligible, you must be enrolled in Takeda Patient Support and have commercial insurance. Other terms and conditions apply, including eligibility requirements and maximum benefit limits per claim and per calendar year. Offer subject to change or end without notice. Contact us for more details.

What is a specialty pharmacy and how does Takeda Patient Support work with Accredo?

- A specialty pharmacy supplies medications that may need special handling or extra support. ORZEYFUL is only available through Accredo, which is a specialty pharmacy, and can't be filled through your typical pharmacy.
- In addition, Accredo can provide patient support services on behalf of Takeda Patient Support.

As a reminder, you don't need to enroll in Takeda Patient Support in order to receive your prescribed Takeda treatment, ORZEYFUL.

What to expect after your prescription is sent in



Receive your welcome call

After your healthcare provider (HCP) has prescribed ORZEYFUL (oveporexton) and sent the prescription to Accredo Specialty Pharmacy, you'll receive a call from a support specialist. If you're not yet enrolled in Takeda Patient Support, the specialist can talk to you about how to enroll. Because we work with Accredo, your caller ID may display Accredo as the caller.

Learn about your insurance, access, and financial assistance options

Next, a specialist will explain your insurance benefits and review access and financial assistance options that may be available to you, which may include the **Takeda Patient Support Co-Pay Assistance Program** and/or the **ORZEYFUL Quick Start Program**. Other options may be available depending on your situation. See last page for more information.

Prepare for and start treatment

Support specialists will help coordinate delivery of ORZEYFUL and answer questions you have before you begin treatment.

Get ongoing support

Once you've started treatment, you'll continue to receive information about taking ORZEYFUL and what to expect. You'll receive calls periodically throughout your first year of treatment to monitor progress and address any concerns.

You can also reach out to a specialist at any time throughout this process with questions or concerns. 1-877-223-4681 Monday through Friday, 8 AM to 8 PM ET

Access and financial assistance options

Whether you have commercial insurance, have government insurance, or are uninsured, support specialists can answer your questions and help you understand what access and financial assistance options may be available for ORZEYFUL (oveporexton).

For example, if you have commercial insurance, you may be eligible for:

The Takeda Patient Support Co-Pay Assistance Program, which may cover up to 100% of your out-of-pocket co-pay costs, if you're eligible.†

The ORZEYFUL Quick Start Program, which helps eligible prescribed patients get access to ORZEYFUL at no cost while health insurance coverage and authorization are secured.*

Visit TakedaPatientSupport.com/ORZEYFUL or give us a call to learn more.

Once you've been prescribed your treatment, enrolling in Takeda Patient Support is easy

Choose one of the following options:

Self-enroll

Start the process by providing your consent at Takeda.info/TPSConsent. Enter your name and email address, complete the document, and click submit. Accredo will follow up with next steps once they have received your prescription.

Enroll through your HCP

Talk to your HCP about completing the ORZEYFUL Prescription Referral Form with you. Sign the patient consent portion and your provider will submit the form on your behalf.

†To be eligible, you must be enrolled in Takeda Patient Support and have commercial insurance. Other terms and conditions apply, including eligibility requirements and maximum benefit limits per claim and per calendar year. Offer subject to change or end without notice. Contact us for more details.

**To be eligible, you must be enrolled in Takeda Patient Support and have commercial insurance. Other terms, conditions and eligibility criteria apply. Offer subject to change or end without notice. Contact us for more details.*

Want to connect?

Support specialists are never more than a call away.

1-877-223-4681 Monday through Friday, 8 AM to 8 PM ET

- Visit **TakedaPatientSupport.com/ORZEYFUL** to learn more about our support and educational offerings.
- Visit **ORZEYFUL.com** for more information on your prescribed Takeda treatment.

©2026 Takeda Pharmaceuticals U.S.A., Inc. 1-877-TAKEDA-7 (1-877-825-3327). All rights reserved. ORZEYFUL and The ORZEYFUL Logo are trademarks of Takeda Pharmaceuticals International AG. Takeda, Takeda, and Patient Support are trademarks or registered trademarks of Takeda Pharmaceutical Company Limited.
US-OVE-0335v1.0 11/26

Takeda